







REVISION AND CHANGE EFFECTIVITY DATE				
LTR.	ECN	DESCRIPTION	DATE	APP'D.



0.734
SEE
NOTE 4




"H" DIMENSION
WHEN MODULE IS INSERTED
AND HEAT SINK IS RAISED

P	0.539"	PCI
S	0.630"	SAN
N	0.906"	NET

DRAWING SHOWS CAGE WITHOUT MODULE

ORDERING INFO:



NOTES:





- 1) CAGE MATERIAL: 0.010" THICK BRASS C2680, FULL HARD. FLANGE IS 0.020" THICK. PLATING: SEE PLATING OPTIONS.
- 2) FRONT GASKET MATERIAL: 0.0024" THICK BERYLLIUM COPPER, NICKEL PLATED. SPOT WELDED TO CAGE.
- 3) HEAT SINK MATERIAL: ZAMAC 3, NICKEL PLATED.
- 4) WHEN GASKET IS FULLY COMPRESSED.
- 5) CLIP MATERIAL: 0.010" THICK BERYLLIUM COPPER, PLATING: NICKEL.
- 6) ELASTOMERIC GASKET: ELECTRICALLY CONDUCTIVE SILICONE, 94V-0 FLAME RATING.
- 7) LIGHTPIPE MATERIAL: CLEAR POLYCARBONATE
- 8) OPERATING AND STORAGE TEMPERATURE: -40°C TO +125°C

DO NOT SCALE DRAWING.



EXPERIMENTAL NO:		DIVISION ASSIGNED: dataMate Division	
TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL: SEE NOTES	DRAWN BY: A. PIRILLIS	DATE: 11/09/12
METRIC ±	FRACTION ±	CHECKED BY: J. LLORENS	DATE: 11/09/12
±	DEC. XX ± .010	ENGR. APPROVAL: B. SKEPNEK	DATE: 11/09/12
±	ANGLES ± .005	APPROVED BY: A. CHIAPPETTA	DATE: 11/09/12
TOOLING DWG □	FINISH: SEE NOTES	PART NO. CLASSIFICATION:	
PART DWG □	BREAK SHARP EDGES REMOVE ALL BURRS		
<p>THE INFORMATION DISCLOSED IN THIS DOCUMENT IS PROPRIETARY TO DATA MATE ELECTRONICS, INC. AND MAY NOT BE USED FOR REPRODUCTION OR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF DATA MATE ELECTRONICS, INC. CHANGES AS THEY MAY OCCUR WITH RESPECT TO PRODUCT IMPROVEMENTS.</p>			
SIZE: C	CODE IDENT.	DWG. NUMBER: DM9054-E-H-X-2L	Rev. -
SCALE:			Rev. -

REVISION AND CHANGE EFFECTIVITY DATE				
LTR.	ECN	DESCRIPTION	DATE	APP'D.



NOTES:

- 1) DIMENSIONS ARE TO CENTER OF HOLES
- 2) DIMENSIONS NOT REFERENCED TO AN EDGE ARE CENTERED ABOUT CENTER LINE

DO NOT SCALE DRAWING.



EXPERIMENTAL NO:		DIVISION ASSIGNED: dataMate Division		
TOLERANCE UNLESS OTHERWISE SPECIFIED		MATERIAL:		
METRIC		SEE NOTES		
±	FRACTION	DRAWN BY: A. PIRILLIS		
±	DEC XX ± .010	DATE: 11/09/12		
±	XXX ± .005	CHECKED BY: J. LLORENS		
±	ANGLES ±	DATE: 11/09/12		
TOOLING DWG <input type="checkbox"/>		ENGR. APPROVAL: B. SKEPNEK		
PART DWG <input type="checkbox"/>		DATE: 11/09/12		
BREAK SHARP EDGES		APPROVED BY: A. CHIAPPETTA		
REMOVE ALL BURRS		DATE: 11/09/12		
SEE NOTES		PART NO. CLASSIFICATION:		
<small>THE INFORMATION DISCLOSED IN THIS DOCUMENT IS PROPRIETARY TO METHODE ELECTRONICS, INC. AND MAY NOT BE USED FOR MANUFACTURE OR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF METHODE. DETAILS SUBJECT TO CHANGE AS THEY MAY CHANGE WITH RESPECT TO PRODUCT IMPROVEMENT.</small>				
SIZE		CODE IDENT.		Rev.
C		DM9054-C-H-X-2L		-
SCALE:				
				SHI.2 OF 2